

## ENTRE MATIC



# Dock Shelters

Keep the elements out and away from your dock during times of loading. With a Kelley Dock Shelter, you can protect your assets from the elements, and enjoy full, unrestricted trailer access for a more productive and efficient dock.

# FlexFrame® dock shelter

Versatile, full-access loading with low ownership costs.

Kelley FlexFrame<sup>®</sup> Dock Shelters service a wide variety of trailer sizes and types, providing full trailer access during the loading process while minimizing ownership costs. The secret is Kelley's gravity-biased, flexible frame. It yields to misguided trailers, preventing costly building and shelter damage.



### FSR Series Foamside® dock shelter

Flexibility of a seal, full trailer access of a shelter.

The Kelley Foamside® Dock Shelter combines the flexibility of a seal and the full trailer access of a shelter. The FSR Series effectively keeps the outside elements, such as the cold, rain, sleet and snow, out of the warehouse, providing energy savings and added comfort for your employees. The Foamside Dock Shelter's unique Tufsteel® frame components are covered by a 5-year limited warranty against rotting, cracking or warping.

- A raked translucent head frame protects the dock area from weather elements while allowing natural light to enter the dock area.
- ② Overlapping wear pleats provide more wear resistance against the sharp corners of the trailer, extending the life of the shelter.
- 3 Heavy-duty impactable foam side member.
- 4 Roll-formed Tufsteel® galvanized steel framing (5-year limited warranty).
- (5) Flexible fiberglass stays ensure that head and side curtain pressure is maintained on the trailer body while compressible neoprene cords conform to the vehicle's irregular perimeter.



When the trailer is backed into position, no foam or fabric impedes the doorway, providing clear and unobstructed access to the trailer.

# TS Series Rigid Frame dock shelter

Full-width access for a variety of door and trailer sizes.

The TS Series Rigid Frame Shelter is designed to accommodate a wide variety of door and trailer sizes while providing full-width access to the back of the trailer.




- Overlapping wear pleats sewn to the head curtain provide extra resistance against the sharp corners of the trailer, extending the life of the shelter.
- 2 Steel supports protect frame from offcenter trailers.
- 3 Head frame covered with translucent fiberglass with 2" side-to-side rake for water drainage.
- 4 Flexible fiberglass stays ensure that the head and side curtain pressure is maintained on the trailer body.
- high-visibility guide stripes assist drivers with proper positioning of trailer.
- 6 Roll-formed Tufsteel® galvanized steel framing (5-year limited warranty).

# HINGE GUARD™ Dock Shelter System

Blocking hinge gaps like a seal, unrestricted trailer access like a shelter.

The Kelley HINGE GUARD™ Dock Shelter System addresses a once overlooked source of energy loss. By blocking trailer hinge gaps like a seal, and providing unrestricted trailer access like a shelter, HINGE GUARD secures superior energy-efficiency for your loading dock.



#### **DESIGN HIGHLIGHTS:**

This extreme sealing dock shelter add-on is designed to effectively seal the perimeter and stop air movement between the exposed trailer hinge gaps along the sides of 102" (8'-6") wide trailers with swing-out doors. HINGE GUARD offers ease of functionality as it is automatically activated by the backing trailer by grasping the sides of the trailer and covering the hinge gaps to create a consistent seal top to bottom. Offering full width trailer access, this dock shelter system means greater protection against dust, insects and other debris at the dock. HINGE GUARD is an available option on all FoamSide® Dock Shelters. Its durable design is made from impact resistant High Molecular Weight Polyethylene (HMPE) and it is available in two (2) profiles, a large profile for refrigerated trailers and a smaller profile for standard trailers doors. There is virtually no maintenance required and it can be easily replaced when desired.

### Available fabrics

#### TS-55® SUPER FABRIC

Heavy-duty polyester-based fabric with a polymer blend coating on both sides resulting in the highest puncture and tear resistance of any fabric in the industry.

#### 40 OZ. CSM

Nylon woven base with a CSM coating on both sides.

#### 40 OZ. VINYL

Woven polyester base fabric with a vinyl coating on both sides.

#### **22 OZ. VINYL**

Woven polyester-based fabric with a vinyl coating on

#### 16 OZ. CSM

Nylon woven base with a CSM coating on both sides.

#### FLAME RETARDANT FABRIC

Many of our fabrics offer optional flame retardant designs. These fabrics are engineered or tested to the strict standards of the California State Title 19 and NFPA-701. These flame retardant fabrics are designed to self extinguish a flame in two seconds or less once the source is removed.

Note: Not all fabrics are available in all colors. Please check with your local Kelley Distributor to verify color availability in your choice of fabric. Due to printing variances, actual fabric colors may differ.

#### DON'T JUST OBSERVE IT, LIVE THE EXPERIENCE.

Kelley® is a world-renowned brand, best known as the pioneer of airpowered dock leveler technology, offering a comprehensive portfolio of loading dock and warehouse solutions. We are delighted to invite you to our 6,000 square foot showroom, known as the Entrematic Academy in Carrollton, Texas. The Entrematic Academy gives you a very special opportunity to get to know our products in person. Gain hands on experience and enjoy one-on-one interaction with our engineering and manufacturing team in this state-of-the-art facility.



CAN'T MAKE THE TRIP TO DALLAS? Let our Mobile Academy come to you. Our 53' completely enclosed and temperature-controlled trailer features over 25 full-sized, fully-functional dock equipment demo units. Call 1-877-778-DOCK (3625) to schedule an appointment and we'll drive our solutions straight to your door.



1612 Hutton Dr., Suite 140 Carrollton, TX 75006

Tel: 800.558.6960 Fax: 972.389.4766





email: kelley@entrematic.com www.kelleyentrematic.com